

09/936007  
518 Rec'd PCT/PTO 07 SEP 2001

EXPRESS MAIL NO. EL652176534US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Sang-Young LEE, et al.) Re: Preliminary Amendment  
U.S. Appln. No.: not yet ) Group: not yet assigned  
assigned )  
U.S. Filing Date: concurrently ) Examiner: not yet assigned  
herewith )  
International Application No: )  
PCT/KR01/00037 )  
International Filing Date: )  
10 January 2001 ) Our Ref.: B-4309PCT 619079-8  
For: "HIGH CRYSTALLINE )  
POLYPROPYLENE MICROPOROUS )  
MEMBRANE, MULTICOMPONENT )  
MICROPOROUS MEMBRANE AND )  
METHODS FOR PREPARING THE SAME") Date: September 7, 2001

Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Attn: United States Designated/Elected Office (DO/EO/US)

Sir:

Prior to examination of the above-identified application, it is respectfully requested that the following amendments be made to the Claims:

IN THE CLAIMS

10. (Amended) The high crystalline polypropylene separator for a lithium ion polymer battery according to claim 7 having a melt-integrity temperature of 164°C or more.

REMARKS

This Preliminary Amendment amends original Claim 10 so that this claim is no longer multiply dependent to reduce the official

Preliminary Amendment  
September 7, 2001  
Page 2

fees at the U.S. Patent and Trademark Office (USPTO). The Applicants may elect to amend Claim 10 to make it again multiply dependent or to add additional claims to this application to provide coverage similar to, broader than, or narrower than the original claims at any time during the pendency of the above-identified U.S. application.

Respectfully submitted,



Richard P. Berg  
Reg. No. 28,145  
Attorney for Applicant  
LADAS & PARRY  
5670 Wilshire Boulevard #2100  
Los Angeles, California 90036  
(323) 934-2300

Enclosure: Appendix A (1 page)

09935007 09935007

Appendix A

(VERSION WITH MARKINGS TO SHOW CHANGES MADE)

Page 1 of 1

10. (Amended) The high crystalline polypropylene separator for a lithium ion polymer battery according to claim 7 [or 8] having a melt-integrity temperature of 164°C or more.

00936007, 0092704